



About Ashiana

O2 Why Ashiana O3 Location Advantages

T.R.U.S.T Defined

05 Floor Plans

Specs & Features

Signature Amenities

8 Features Advisory






Welcome to Ashiana Regency.
Where luxury meets trust in every corner.
Built on the pillars of
T.R.U.S.T—Transparency, Reliance, Urbane, Safety, and Timeliness
Located on the Main Nandankanan Road, Bhubaneswar.
This premium project is designed for those seeking exclusivity and comfort.

With only 56 units and four flats per floor. We offer spacious 3 Bhk homes.



Honoring 37 Years of Shaping Beautiful Homes

A *GLIMPSE* OF OUR COMPLETED *PROJECTS*


























THEART OF HOME, ROOTED IN T.R.U.S.T

- 37 years of Ashiana excellence, trusted by Bhubaneswar.
- Seamlessly blends the city's heritage with urbane modern living.
- Strategically located for unparalleled convenience and connectivity.
- Transparent processes and timely delivery you can rely on.

Why Ashiana? **Homes Delivered** ON TIME

4200 46 Lacs Sq. Ft, OF SPACE DĖLIVERED


THE CREATORS OF


























Urban Access with *Suburban Serenity*.

Located on Main Nandankanan Bhubaneswar-Cuttack Main Road, Ashiana Regency strategic location keeps you away from the hustle and bustle of the city yet makes it easily accessible and provides you the ideal and green environment to live in.

DISTANCE FROM ASHIANA REGENCY

- Ashiana Royal Lagoon 1.1 km
- Ashiana Royal Arcade 1.1 km
- A modern shopping complex
- Nandankanan Zoo 1.8 km
- Z1 Estate/Mani Tribhuvan 2.2 km.
- Big Bazaar 3.3 km
- KIITS 3.4 km
- New Bhubaneswar Railway Station - 3.5 km
- Ashiana Elegance 4.3km
- SAI International School 5.7 km
- Trisulia Square 7 km
- Kalinga Hospital 7.8 km
- Infocity 8 km
- Xavier Institute of Management (XIMB) 8.8 km
- Nalco Bhawan 9 km
- Jayadev Vihar 10 km
- MAYFAIR Lagoon & Trident 10 km
- Apollo Hospital 11 km
- Orissa High Court 11 km
- Bhubaneswar International Airport 16 km



DREAMS BUILT ON T.R.U.S.T

Transparency

Building trust means being transparent at every stage of the process. At Ashiana, We maintain complete openness in our communication, from clear pricing to honest timelines and progress updates. You will always know where you stand, making your home-buying experience smooth and worry-free.



DREAMS BUILT ON T.R.U.S.T

Reliance

Your peace of mind is our priority. Ashiana prides itself on being a reliable partner throughout your home-buying journey. With a track record of excellence and countless satisfied homeowners, we ensure that your investment is in safe and trusted hands. From quality construction to post-sales support, we're here every step of the way.



DREAMS BUILT ON TRUST

Urbane

Experience the essence of modern living at Ashiana. Our urbane design philosophy blends sophistication with functionality, offering you a contemporary lifestyle that caters to your every need. Thoughtfully planned layouts, world-class amenities, and elegant finishes come together to create a home that exudes both comfort and style.



DREAMS BUILT ON T.R.U.S.T

Safety as Priority

- 3-tier Security with CCTV and Intercom Facility
- Lift with automatic rescue device
- * Large size lifts in each block
- Wheel chair friendly access to common areas
- Fire Prevention System
- Safety as Investment





DREAMS BUILT ON TRUST

Timeliness

At Ashiana, We value your time as much as you do. Our commitment to timeliness is reflected in every aspect of our project, from the prompt delivery of homes to the seamless construction process. We ensure that every milestone is achieved as promised, so you can enjoy the comfort of your new home without unnecessary delays.













Unit Plan

3Bhk + 3 Toilet

Area	Sq. M	Sq. Ft.
RERA Carpet Area	111.45	1200
Balcony Area	14.12	152
Exteral Wall Area	11.73	126
Proportionate Common Area	34.57	372
Total Area	171.87	1850

NOTE

Modern designs and lush landscapes, Ashiana Regency offers a blend of timeless beauty and contemporary luxury, ensuring acomfortable and stylish lifestyle. The Carpet Area calculation is as per RERA definition and after deduction of area under plaster & skirting of External walls.


The Balcony Dimensions shown are from external face of wall to external face of balcony wall.

All furniture & wardrobe shown in the drawing is only for indicative purpose.

Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.

Location of Refrigerator ,Hob etc. in the Kitchen ,TV. in rooms & Washing machine in service balcony is for indicative purpose only. Refer to the specification for details.


T3 Stilt Floor / Ground floor plan



NOTE

- The Internal Dimensions showns are from wall to wall excluding plaster thickness as per Architectural & Structural construction drawing
- TheCarpet Area calculation is as per RERA defination and after deduction of area under plaster & skirting of external walls.
- The Balcony Dimensions shown are from external face of wall to external face of balcony wall.
- All furniture & wardrobe shown in the drawing is only for indicative purpose
- Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.
- Location of Refrigerator ,Hob etc. in the Kitchen ,TV. in rooms & Washing machine in service balcony is for indicative purpose only. Refer to the specification for details.

T3 Floor Plan



NOTE

- The Internal Dimensions showns are from wall to wall excluding plaster thickness as per Architectural & Structural construction drawing
- TheCarpet Area calculation is as per RERA defination and after deduction of area under plaster & skirting of external walls.
- The Balcony Dimensions shown are from external face of wall to external face of balcony wall.
- All furniture & wardrobe shown in the drawing is only for indicative purpose
- Plumbing pipes shown in the shafts and balcony is indicative only and may or may not change.
- Location of Refrigerator ,Hob etc. in the Kitchen ,TV. in rooms & Washing machine in service balcony is for indicative purpose only. Refer to the specification for details.

Site Plan

GROUND LEVEL

LEGEND: LANDSCAPE ELEMENTS

- ENTRANCE APPROACH ROAD
 WITH ACCENT PAVING
- 2 HOUSING SIGNAGE
- 3 PALM AVENUE
- 4 LEAF-SHAPED FEATURE ELEMENTS
- 5 ENTRANCE WATER FEATURE WITH NOZZLES
- 6 7.5M WIDE DRIVEWAY WITH 1.5M WIDE CYCLING TRACK
- 7 CAR PARKING
- 8 TOWER DROP-OFF WITH ACCENT PAVING
- TOWER SIGNAGE ON PLANTER
 WALL WITH GREENS IN BACKDROP
- (10) GRAND STEPS TO CLUB
- 10 PATHWAY UNDER PERGOLA TO POOL COMPLEX
- 12 MAIN POOL WITH INFINITY EDGE
- 13 KIDS' POOL
- 14 IN-POOL LOUNGERS
- **15** WATER CASCADE WALL
- 16 DECORATIVE TRAVELERS PALM PLANTATION AT INFINITY EDGE
- 17 LOUNGERS ON POOL DECK
- (18) LINEAR CABANAS ON POOL DECK
- 19 PERIPHERAL PLANTERS WITH ORNAMENTAL TREES
- 20 BOUNDARY PLANTATION

PARKING STATISTICS:



CAR PARKING (4.5M x 2.3M)

LEGEND: HARD LANDSCAPE

LEGEND

DESCRIPTION



ARRIVAL COURT ACCENT PAVING



TOWER DROP-OFF ACCENT PAVING



6.0M WIDE DRIVEWAY



1.5M WIDE CYCLING TRACK



WATER FEATURE



SCULPTURES



ENTRY/ EXIT POINTS

LEGEND:

SOFT LANDSCAPE

LEGEND

DESCRIPTION



PLANTING BED




ORNAMENTAL FOLIAGE TREES



ORNAMENTAL PALM TREES





Structure

Earthquake Resistant RCC frame structure designed for specific seismic zone. Floor slab height to be 2900 mm. Design approved by IIT / NIT / Equivalent as specified by Bhubaneswar Development Authority (BDA)

s	AREA FLOORING		AREA FLOORING WALL & WINDO		DOOR & DOOR FRAMES	PLUMBING	ELECTRICAL
0	Living Room & Dining Area	Glazed Vitrified Tiles	Plaster finished with Acrylic Emulsion Paint. Ceiling shall be in white color. Walls in pastel shade	UPVC Sliding doors (One side) and /or windows with glazing only. Latch shall be provided from inside	7 Feet height pre-laminated door shutter with brass/ SS hardware (Mortice lock, tower bolt, door stopper and magic eye). Door frame to be of hard wood duly polished / painted. Biometric Lock on the Main Door	N/A	Copper wiring in concealed PVC conduits and modular switches (Refer Summary of Electrical Points mentioned below). Location for fixing AC outdoor unit shall be given
0	2 Master Bedroom	Vitrified Tiles	Plaster finished with Acrylic Emulsion Paint. Ceiling shall be in white color. Walls in pastel shade.	UPVC Sliding doors (One side) and /or windows with glazing only. Latch shall be provided from inside	7 Feet height pre-laminated door shutter. Brass /SS hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.	N/A	Copper wiring in concealed PVC conduits and modular switches (Refer Summary of Electrical Points mentioned below). Location for fixing AC outdoor unit shall be given

SI	AREA	AREA FLOORING WALL & CEILING			DOOR & DOOR FRAMES	PLUMBING	ELECTRICAL
03	Other Bedroom(s)	Vitrified Tiles	Plaster finished with Acrylic Emulsion Paint. Ceiling shall be in white color. Walls in pastel shade.	UPVC Sliding (One side) doors and /or windows with glazing only. Latch shall be provided from inside.	7 Feet height pre-laminated door shutter. Brass/ SS hardware (Mortice lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint.	N/A	Copper wiring in concealed PVC conduits and modular switches (Refer Summary of Electrical Points mentioned below). Location for fixing AC outdoor unit shall be given
04	Kitchen	Vitrified tiles	Wall:Ceramic Tiles up to 2 feet above counter, balance area plaster finished with Acrylic Emulsion Paint. Cabinets above and below the counter made of MDF boards/ply boards with hardware and fittings. Counter shall be of granite/Quartz Ceiling: plaster finished with Acrylic Emulsion Paint	UPVC Sliding or Openable door and window with glazing only. Latch shall be provided from inside	7 Feet height pre-laminated door shutter. Brass/ SS hardware (Cylindrical lock, door stopper). Door frame to be of hard wood painted with enamel paint	 Concealed CPVC pipelines for the supply of cold water. SS sink with single bowl and drain board and wall mounted swivel Spout. Location shall be provided for fixing RO system. Plumbing and electrical point shall be provided 	Copper wiring in concealed PVC conduits along with modular switches (Refer Summary of Electrical Points mentioned below). Electrical point for fixing Chimney and RO System will be provided

SI	AREA	FLOORING	WALL & CEILING	WINDOWS & EXTERNAL DOORS	DOOR & DOOR FRAMES	PLUMBING	ELECTRICAL
05	Master Toilet	Ceramic Tiles	Ceramic Tiles up to the ceiling. Ceilingplaster, finished with Acrylic Emulsion Paint in white color	UPVC Openable window / ventilator with glazing only. Latch shall be provided from inside	7 Feet height one side pre-laminated and one side painted door shutter. Stainless steel / Brass hardware (Cylindrical lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint	 Concealed CPVC pipelines for supply of hot and cold water (without geyser). C P Fitting and Sanitary ware of reputed brand. (Rocca/ Jaquar / CERA/Somany or equivalent) WC with Cistern (Rocca//Somany/Hindware /CERA/Jaquar or equivalent) and health faucet Granite Counter with Wash basin (Rocca//Somany/Hindware /CERA/Jaquar or equivalent. Glass partition in shower area. Mirror and Towel rail Location shall be provided for fixing geyser along with plumbing and electrical points Glass partition in the Shower area 	Copper wiring in concealed PVC conduits along with modular switches (Refer Summary of Electrical Points mentioned below). Provision for fixing a small geyser will be provided

SI	AREA	FLOORING	WALL & CEILING	WINDOWS & EXTERNAL DOORS	DOOR & DOOR FRAMES	PLUMBING	ELECTRICAL
06	Toilets	Ceramic Tiles	Ceramic Tiles up to the ceiling. Ceiling Plaster, finished with Acrylic Emulsion Paint in white color	UPVC Openable window / ventilator with glazing only. Latch shall be provided from inside.	7 Feet height one side pre-laminated and one side painted door shutter. Stainless steel / Brass hardware (Cylindrical lock, tower bolt, door stopper). Door frame to be of hard wood painted with enamel paint	 Concealed CPVC pipelines for supply of hot and cold water (without geyser). C P Fitting and Sanitary ware of reputed brand. (Rocca/ Jaquar / CERA/Somany or equivalent) WC with Cistern (Rocca//Somany/Hindware /CERA/Jaquar or equivalent) and health faucet Granite Counter with Wash basin (Rocca//Somany/Hindware /CERA/Jaquar or equivalent. Glass partition in shower area. Mirror and Towel rail location shall be provided for fixing geyser along with plumbing and electrical points 	Copper wiring in concealed PVC conduits along with modular switches (Refer Summary of Electrical Points mentioned below). Provision for fixing a small geyser will be provided

SI	AREA	FLOORING	WALL & CEILING	WINDOWS & EXTERNAL DOORS	DOOR & DOOR FRAMES	PLUMBING	ELECTRICAL			
07	Balcony	Vitrified tiles/Ceramic Tiles	MS Railings painted in enamel paint. External texture Paint on walls. External paint in white color on the ceiling	Service shaft door shutters (if any) made of MS / Aluminum / Ply / Cement board. It may open in balcony	N/A	 Water drainage outlet shall be provided Water inlet point shall be provided only in the Service Balcony (if any) attached with the kitchen or any one balcony 	Copper wiring in concealed PVC conduits along with light point. Power point for washing machine will be provided in the service balcony attached with the kitchen only (Refer Summary of Electrical Points mentioned below)			
08	Lifts	1 Passenger lift & 1 Stretch	er lift inthe building of repu	ted make such as OTIS / John	son / KONE /Schindler or si	milar				
09	Lift Lobbies & Corridor (Typical Floor)	Wall to be finished in a rCeiling shall be plasteredCeiling lights shall be pr		and texture paint. nished in Acrylic Emulsion pa	int					
10	Ground Floor Lobby		 Waiting area for visitors. Flooring in mix design of marble/granite and tile. Wall paneling and false ceiling with lighting. 							
11	Staircase	Staircase shall have wallOnly Fire staircase shall	nished with oil bound diste opening as required by Fire have Fire Rated Doors (As re all be provided on every flo	equired by fire department)	shall be in white color					

SI	AREA	FLOORING	FLOORING WALL & EXTERNAL DOOR		DOOR & DOOR FRAMES	PLUMBING	ELECTRICAL				
12	External Finish	Building shall be t	inished in a mix of textu	ured and plain paint.							
13	Electric Connection & Power Back- Up	apartment. shall k deposit, supervisi electricity distribu authority. • Power back up of	 Each apartment shall be provided with suitable 3 phase electricity connections through state electricity Distribution Company. 6 KW for 3BHK apartment. shall be provided based on diversity factors as allowed by the Regulatory Authority. Meter connection charges including cost of meter, deposit, supervision cost and line charges shall be charged separately at the time of offer for possession. Recurring monthly charges shall be extra. The electricity distribution & metering system shall be either single point metering or multiple point metering, as per approval from the competent authority. Power back up of 1 KW for 3BHK apartment and full back up in common areas with overall suitable diversity factor shall be provided. Recurring monthly cost shall be charged extra. 								
14	Water Supply	water is not provi	ded by Municipal Corpo	gh centralized water filtration pla oration. The cost for it shall be bo ed in Common Area Electricity Cl	rne by all the allottees as						
15	Additional Features	individual meters • Provision for DTH • Surveillance with	 Pre Paid Electric Meter and Billing System shall be installed only if single point metering is allowed by State Electricity Distribution Company or electricity individual meters shall be provided. Meter cost, Connection charges, Security Deposit, Recurring user charges shall be paid extra by the allottees Provision for DTH (Television / Broadband) service shall be provided. Subscription and user charges to be paid directly to the Service Provider. Surveillance with CCTV cameras on the periphery of the complex, main entry and exit, basement lobby level, basement ramps, tower ground floor entrance lobby levels and lifts. 								

^{*} Extra charges as applicable

Amenities of Project

SI	AREA	DESCRIPTION
01	Club House	 Air conditioning of suitable capacity in all recreational rooms and reception area Lounge with seating and large screen TV Gymnasium Banquet Hall Indoor Games Room with Table Tennis, Pool table and Carom Indoor kids play zone Outdoor Swimming Pool and Kids Splash Pool Outdoor kids play area with Swings and Slides

Electrical Point Summary

				LIGHT	POINT												
SI	LOCATION	BELL POINT	PANIC SWITCH	CEILING LIGHT	WALL LIGHT	MIRROR LIGHT POINT	CEILING FAN POINT	6 AMP LIGHT PLUG	16 AMP POWER POINT	20 AMP AC POINT	DISTRIBUTION BOARD	ONT BOX	TELEPHONE POINT	DATA POINT	TV POINT	EXHAUST FAN	WALL FAN
01	Entry	1	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0
02	Dining Area	0	0	0	1	0	1	0	1	1	0	0	0	0	0	0	0
03	Drawing Room	0	1	2	2	0	1	4	0	1	0	0	1	1	1	0	0
04	Balcony-1	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0
05	Kitchen	0	0	2	0	0	1	4	2	0	0	0	0	0	0	0	0
06	Utility	0	0	1	0	0	0	1	1	0	0	0	0	0	0	1	0
07	Bed Room-1	0	0	2	1	0	1	4	0	1	0	0	1	0	1	0	0
08	BR-1 Toilet	0	0	1	0	1	0	1	1	0	0	0	0	0	0	1	1
09	Corridor	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0
10	Common Toilet	0	0	1	0	1	0	1	1	0	0	0	0	0	0	1	1
11	Bed Room-2	0	0	2	1	0	1	4	0	1	0	0	1	0	1	0	0
12	Master Bed Room	0	0	2	1	0	1	4	0	1	0	0	1	0	1	0	0
13	Master Balcony	0	0	2	0	0	1	0	0	0	0	0	0	0	0	0	0
14	Master Toilet	0	0	1	0	1	0	1	1	0	0	0	0	0	0	1	1
15	Dress Area	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total Qty	1	1	21	6	3	8	24	8	5	1	1	4	1	4	4	3

Disclaimers for Specifications & Features

- **01.** Door Frames: Door frames are made of solid hard wood. Solid hard wood, being a natural material will vary in texture, knots and would have seasonal behavior depending on the ambient temperature. Expansion and contraction is inherent to hard wood and may lead to minor surface cracks.
- **02.** Granite/ Marble/ Sandstone: Granite/ Marble / Sandstone being natural material will vary in texture and colour. Over a period of time discoloration can happen. Stone being porous in nature will absorb fluid if any fluid spillage is not removed quickly. Stone may develop crack on impact with heavy equipment, sharp object etc. Polishing on the stone is done using artificial polishing agents and shall wear off due to usage in due course of time. It requires regular proper maintenance for maintaining polish.
- 03. Wall and Ceiling Cracks: Due to temperature variance between summer months and winter month's expansions and contraction takes place in concrete and brick work. Due to such movements, sometimes surface cracks would appear in the walls at the junction of RCC members and Brick masonry. Such cracks could appear despite taking all engineering precautions.
 As per structural design principles, structures are allowed to deflect in different directions within allowable loading/atmospheric/ground settlement/seismic parameters. Since masonry and RCC members behave differently in such situations, therefore hair cracks in different components of the building are inevitable. These cracks are more visible in plastered surface of the masonry work. While conventionally recognized precautionary measures will be undertaken diligently but complete disappearance of such cracks cannot be ascertained
- **04.** Normal wear & tear: Equipments and products within the apartment and /or within the Complex will face natural wear and tear over a period of time due to usage. If such usage is more than what is prescribed by the manufacturer/ vendor of such products, then the rate of deterioration/ degeneration would be faster. The Developer is not a manufacturer of such products directly and hence depends on the warranty provided by the manufacturer/ vendor of such products. The warranty on all such products/ equipments/ materials shall be the warranty provided by the original equipment manufacturer only.
- **05.** Vitrified tiles and Ceramic Tiles: Tiles are sourced from the tile manufacturing Companies of national repute. Tiles consist of, among other things, natural sand, silica and soil. Colouring agents are used for providing different colours, shades and patterns to the tiles. Variation in colour is inherent in the tile making process. Tiles are 8-10 mm thick and can develop cracks upon impact with heavy or sharp objects.
- **06.** Door Shutters: Door shutters are hollow core door shutters. The frame of the shutter is made of hard wood such as rubber wood, Canadian pine or similar. The central part of the frame is filled with either tubular board made of compacted wood particles of medium density or pieces of wood. Thereafter the top molded skin is pasted in a factory process. The shutters will have a tendency to bulge if water seeps inside and can crack on heavy impact which may happen due to a forceful banging of the shutter or if proper door stopper is not utilized.
- 07. Wall: No tiles will be provided behind/below kitchen cabinets. Wall surface above the false ceiling may be left in its original bare condition.

Disclaimers for Specifications & Features

- **08.** External Paints: External plastered surface of the buildings are painted of suitable quality as decided by the Architects. Paints are manufactured product from chemicals and specific grade of minerals/natural stone compounds. After application this paint is exposed to weather conditions. Ultra violet ray and weather conditions will affect life and sheen of the product and also would cause damages to the expected/designed protective properties of paints. Therefore, periodic maintenance including redoing of paints would be inevitable.
- **09.** Air Conditioning System: Provision for Air Conditioner or fixing of window/split air conditioner in drawing dining area & bedrooms are being provided. For Split A/C assigned spaces are earmarked on the elevation of the building for ease of access and to create uniformity for aesthetic purpose.
- **10.** Glass: Glass, plain/clear/frosted, is widely used in residential developments and may break/shatter due to accidental knocks or other causes. In addition, glass is a manufactured material and it may not be 100% free from impurities. These impurities are not avoidable with quality checks and balances.
- 11. Design Experts: Professionally qualified practicing consultants in the field are deployed to design different functions in compliance to applicable norms and guidelines. These functions are a) Architecture b) Structure c) Plumbing d) Landscape e) Fire Fighting and e) Power & Electrical. Design parameters set by such experts and applicability of their drawings and decisions are treated as final.
- **12.** Brick work, plaster and application of putty/POP over plastered surface are manual activities. Hence, despite all quality process in the job, undulation, out in plumb to certain extent cannot be avoided completely.
- 13. While every reasonable care has been taken in preparing this brochure and in constructing the models and show flats, the Developer/Promoters and the Marketing Agents cannot be held responsible for any inaccuracies or omissions. Visual representations, models, show flat displays and illustrations, photographs, art renderings and other graphic representations and references are intended to portray only artist's impressions of the development and cannot be regarded as representations of the fact. Floor areas are approximate measurements and are Subject to final survey.
- 14. All information, specifications, renderings, visual representations and plans are correct at the time of publication and are subject to changes as may be required by us and/or the competent authorities and shall not form part of any offer or contract nor constitute any warranty by us and shall not be regarded as statements or representation of fact. All facts are subject to amendments as directed and/or approved by the building authorities. All areas are approximate measurements only and subject to final survey. The Agreement to sell shall form the entire agreement between the Promoter and the Allottee and shall supersede all statements, representations or promises made prior to the execution of the Agreement For Sale and shall in no way be modified by any statements, representations or promises made by us or the Marketing Agents.



Sales Office

Royal Arcade, Main Nandankanan Rd, Near to Royal Lagoon, Raghunathpur, Bhubaneswar, Odisha 751024 www.ashianaregency.com Email: sales@ashianaregency.com

UDITI DWELLINGS PRIVATE LIMITED

Regd. & Corporate Office

3H, Plaza M6, District Centre, Jasola New Delhi - 110025

TEL: +91 11 4056 4056

CIN: U70100DL2019PTC356632

RP/19/2024/01308 | WWW.RERA.ODISHA.GOV.IN

Call us 9692 100 100

Tower T3 of the Project named "Ashiana Regal" (also known as "Ashiana Regency" for sales promotion) located at Plot Nos. 309/4706 & 310, Khata No. 511/4174, Main Nandan Kanan Road, Raghunathpur Jali. Bhubaneswar. Odisha ("Said Land") is being developed by Company M/s Uditi Dwellings Pvt. Ltd in collaboration with Sh Brundaban Rout. Tower T3 also known as "Ashiana Regency" is a part of Project named "Ashiana Regency" is a p

The ORERA registration number of the Project is RP/19/2024/0308 dated 18:12:2024. Alto Roperovals can be checked at the Regional Office of the Company situated at Bhuvens and all service infrastructure being developed in the ed is represented in the education of the Company situated at Bhuvens and common areas, common facilities and all service infrastructure being developed in the education to the Existing Project and Tower T3 also known as "Ashiana Regency," or indivisible proportionate basis. The rights of Buyers in the common areas, common facilities and all service infrastructure facilities used as Trunk Roads. Electricity Supply, Drinking Water. Trunk Storm Water Drainage are to be developed by various Governments. If there is any delay or inconvenience due to non-availability of external infrastructure, the company aball not be held liable the same. Changes may happen in the layout of amenities/ common area services if instructed by Competent Authorities such as BDA/BMC. Ministry of Environment. Forest & Climate Change, State Pollution Control Board, Central Ground Water Authority, Electricity Supply, Bengton, Fire Departments et all the same shall be intimated to the buyers as and when necessary. The information and contents provided herein are subject to change within the provisions of Real Estate (Regulation & Development). Act 2016 and norms of the state government. The Company is retaining is right to additional FAR subject to the prevailing government norms.

Images of people, animals, trees, plants and art & artifact as shown herein are for indicative purpose only and are not a part of the offering. Please refer to the specifications and amenities statement in the Agreement for Sale for details before investing. The Computer generated rendering / images of apartments, buildings, amenities are as per architectural design and internt. However, there can be wariation in colour and texture of the actual material used. Nothing contained herein intends to constitute a legal offer and does not form part of any legally binding agreement and/or commitment of any nature. Please read and pursue the terms and conditions of the Application Form, Draft Agreement for Sale, Building Sanction Plans, All approvals before tendering your hendering your booking